

BAM-FX™
Plant Mineral Solution

Guaranteed Analysis

Copper (Cu).....2.1%
Zinc (Zn).....6.9%

Derived from: Copper sulfate pentahydrate and zinc sulfate.

BAM Agricultural Solutions, Inc.
190 NW Spanish River Blvd., Suite 101
Boca Raton, FL 33431
www.bamagsolutions.com
Net Content: 2.5 gal (9.46L)
Density: 11.0 lbs./gallons

Heavy metals: Information regarding the content and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>

PRECAUTIONS

BAM-FX is a low pH, metallic ion solution. Use with high density plastic or stainless steel containers for tank mixing and spray. BAM-FX can be reactive with some metals and materials such as aluminum, synthetic materials, rubber and cloth. Thoroughly flush all equipment with clean water after application.

NOTE: Technical BAM-FX is corrosive to mild steel, aluminum, and brass containers and must be stored and/or shipped in fiberglass, HDPE, polypropylene containers -- use only P.V.C. fittings.

CONDITIONS TO AVOID: Do not apply to any area not specified on label. This product may cause staining. Avoid mixing with strong bases and strong reducing agents. Harmful if swallowed. Avoid contact with eyes, skin, and clothing. Avoid breathing spray mist. When handling concentrated material wear gloves and eye protection. Do not allow to contaminate any bodies of water. See the Material Safety Data Sheet on our website: <http://www.bamagsolutions.com>. This product may be used in conjunction with liquid fertilizers, insecticides and fungicides. Do not tank mix or apply together with glyphosate.

STORAGE

BAM-FX should be stored at room temperature, between 35°F and 90°F (1.6°C -32.2°C) and protected from freezing or extreme cold or heat. Use only high-density polyethylene (HDPE) plastic containers with caps that seal to prevent product leakage or accidental container damage during storage.

CONTAINER DISPOSAL: Do not reuse container. Dispose of containers by triple rinsing and offering for recycling or discarding in accordance with local, state, and federal regulations.

BAM-FX GENERAL APPLICATION

IMPORTANT NOTE: Use only clean, plastic or stainless steel spray tanks and nozzles to maintain the active electrical charge of the product.

It is recommended to discuss applications with your local crop consultant as each climate and soil type may cause a difference in the general planting protocol and tank mixes should be used within the first 48 hours.

A. FOLIAR APPLICATION

GENERAL APPLICATION GUIDELINES

Specific application instructions for each crop in various environments will vary with climactic conditions, soil types and existing agricultural practices.

FOLIAR SPRAY

One pint BAM-FX (16 oz.) in 32 gallons of water

CROP	ULV*	SPRAY RIGS	HYDRAULIC
Vegetables	32 gallons	32 gallons	32 gallons
Field Crops	32 gallons	32 gallons	32 gallons
Berries	32 gallons	32 gallons	32 gallons
Small Fruits	32 gallons	32 gallons	32 gallons
Vines	32 gallons	32 gallons	32 gallons

FOLIAR SPRAY

Two pints BAM-FX (32 oz.) in 64 gallons of water

CROP	ULV*	SPRAY RIGS	HYDRAULIC
Tree Crops	64 gallons	64 gallons	64 gallons

B. FURROW/SOIL DRENCH

FURROW/SOIL DRENCH

Two pints (32 oz.) BAM-FX in 32 gallons of water

CROP	FURROW/SOIL/DRIP TAPE
Vegetables	32 gallons**
Field Crops	32 gallons**
Berries	32 gallons**
Small Fruits	32 gallons**
Vines	32 gallons**

FURROW/SOIL DRENCH

Two pints (32 oz.) BAM-FX in 32 gallons of water

CROP	FURROW/SOIL DRENCH
Tree Crops	32 gallons**

Hand-held or back-pack sprayers may use up to 1 ounce (oz.) BAM-FX per gallon of water.

*ULV (Ultra-Low- Volume) includes back-pack sprayers with plastic or stainless steel nozzle attachments or mist blowers.

** May be applied at time of seed planting.

C. HYDROPONICS

Use .25 oz. BAM-FX per gallon in water to treat using a hydroponic system for periodic delivery or with foliar ULV applications.

LIMITED WARRANTY AND LIMITATIONS OF REMEDIES

Zero Gravity Solutions, Inc. warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

GENERAL INFORMATION

Our BAM-FX mineral formulation is bio-available passing through cellular tissue easily. This product may be used in conjunction with other liquid fertilizers.

PRODUCT RELATED QUESTIONS:

1-844-226-2474

CAUTION

KEEP OUT OF REACH OF CHILDREN



Corrosive



Mild Irritant



For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

1-800-424-9300 CCN806521

Manufactured and distributed by:

BAM Agricultural Solutions, Inc.
190 NW Spanish River Blvd., Suite 101
Boca Raton, FL 33431
+1.561.416.0400 USA

www.bamagsolutions.com

BAM-FX™ is a trademark of Zero Gravity Solutions, Inc.

Weight Per Gallon: 11.0 lbs. (4.98kg)

Net Weight: 27.5 lbs. (12.47kg)

Net Contents: 2.5 gallons (9.46 Liters)